Version 1.0	Revision Date 04/27/2015	Print Date 05/29/2015
SECTION 1. PRODUCT AND	COMPANY IDENTIFICATION	
Material name	: Renown® Gum Remover II	
Material number	: A00183	

Manufacturer or supplier's detailsCompany: Interline BrandsAddress: 701 San Marco Blvd.
Jacksonville, FL 32207

Telephone : 1-866-412-6726

Emergency telephone numbers		
For SDS Information	:	1-866-412-6726
For a Medical Emergency	:	1-800-424-9300
For a Transportation Emergency	:	Chemtrec 1-800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	clear
Odour	odourless

GHS Classification

Flammable aerosols Gases under pressure		Category 1 Liquefied gas
GHS Label element		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated.
Precautionary statements	:	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use. Storage: P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Potential Health Effects

Renown® Gum Ren		
Version 1.0	Revision Date 04/27/2015	Print Date 05/29/2015
Carcinogenicity:		
IARC	No component of this product prese equal to 0.1% is identified as probat human carcinogen by IARC.	
ACGIH	No component of this product prese equal to 0.1% is identified as a carci carcinogen by ACGIH.	
OSHA	No component of this product prese equal to 0.1% is identified as a carci carcinogen by OSHA.	
NTP	No component of this product prese equal to 0.1% is identified as a know by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
butane	106-97-8	>= 70 - < 90
propane	74-98-6	>= 20 - < 30

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. 	
If inhaled	 If unconscious place in recovery position and seek medica advice. If symptoms persist, call a physician. 	I
In case of skin contact	 Take off contaminated clothing and shoes immediately. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use. Wash off immediately with plenty of water for at least 15 minutes. 	
In case of eye contact	 Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If in eyes, rinse with water for 15 minutes. 	
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. 	

SAFETY DATA SHEET

Renown® Gum Remover II	
------------------------	--

Version 1.0

Revision Date 04/27/2015

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : protective equipment and emergency procedures	Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8.
	Smoking, eating and drinking should be prohibited in the
	application area.
	Take precautionary measures against static discharges.
	Provide sufficient air exchange and/or exhaust in work rooms.
	Open drum carefully as content may be under pressure.

Renown® Gum Remover II				
Version 1.0	Revision Date 04/27/2015	Print Date 05/29/2015		
Conditions for safe storage	Dispose of rinse water in accordar regulations. Always replace cap after use. Do not breathe vapours or spray n : BEWARE: Aerosol is pressurized.	nist.		
	exposure and temperatures over 5 or throw into fire even after use. D red-hot objects. No smoking. Observe label precautions. Keep in a cool, well-ventilated plac Electrical installations / working ma the technological safety standards	to not spray on flames or ce. aterials must comply with		
Materials to avoid	: Strong oxidizing agents			

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	 Wash hands before breaks and at the end of workday. When using do not smoke. When using do not eat or drink.

Version 1.0

Revision Date 04/27/2015

Print Date 05/29/2015

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	clear
Odour	:	odourless
Odour Threshold	:	no data available
рН	:	not applicable
Melting point/freezing point	:	no data available
Boiling point	:	no data available
Flash point	:	
		no data available
Evaporation rate	:	no data available
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	no data available
Density	:	no data available
Solubility(ies)		
Water solubility	:	negligible
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		
Viscosity, kinematic	:	no data available
Heat of combustion	:	49.35 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Teactions		Vapours may form explosive mixture with air.

Version 1.0	Revision Date 04/27/2015	Print Date 05/29/2015
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and dire	ect sunlight.
Incompatible materials	: Strong oxidizing agents	
Hazardous decomposition products	: Carbon oxides	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity		
Components:		
butane: Acute inhalation toxicity	:	LC50 mouse: 1,237 mg/l Exposure time: 2 h
		LC50 rat: 1,355 mg/l
propane: Acute inhalation toxicity	:	LC50 mouse: 1,237 mg/l Exposure time: 2 h
		LC50 rat: 658 mg/l Exposure time: 4 h
		LC50 rat: 1,355 mg/l
Skin corrosion/irritation		
no data available		
Serious eye damage/eye irritation		
no data available		
Respiratory or skin sensitisation		
no data available		
Germ cell mutagenicity		
no data available		
Carcinogenicity		
no data available		
Reproductive toxicity		
no data available		
butane: propane:		
STOT - single exposure		
no data available		
STOT - repeated exposure		
no data available		

Renowne Guin Remove		
Version 1.0	Revision Date 04/27/2015	Print Date 05/29/2015
Aspiration toxicity		
no data available		
Further information		
Product:		
Remarks: no data available	e	
SECTION 12. ECOLOGICAL INFO	DRMATION	
Ecotoxicity		
no data available		
Persistence and degradability		
no data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: no data available	
Partition coefficient: n- octanol/water	: Pow: 2.89	
Mobility in soil		
no data available		
Other adverse effects		
no data available <u>Product:</u>		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Secti Substances	
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 CF + B).	defined by the U.S.
Additional ecological information	: no data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues :	Dispose of in accordance with local regulations.
	Do not dispose of waste into sewer.

Version 1.0	Revision Date 04/27/2015	Print Date 05/29/2015
	Do not contaminate ponds, waterv chemical or used container.	vays or ditches with
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch 	on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Sudden Release of Pressure Hazard Fire Hazard
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SAFETY DATA SHEET

Renown® Gum	Remover II
-------------	------------

Version 1.0

Revision Date 04/27/2015


The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL.
AICS	On the inventory, or in compliance with the inventory
NZIoC	On the inventory, or in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory


Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:



We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes.

Version 1.0

Revision Date 04/27/2015

Print Date 05/29/2015

This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

1000850