

# SAFFTY DATA SHFFT

## Formula 11

PRODUCT USE: Sodium BiSulfite REVISION DATE: May 2015

1. PRODUCT AND COMPANY INFORMATION

Water Engineering Inc.24 HOUR EMERGENCY TELEPHONE:(800) 255-39241574 County Rd 10ACCOUNT NUMBER:MIS0004338Mead, NE 68041TO REQUEST AN MSDS:Contact Product Manager

**CUSTOMER SERVICE:** 800-476-5545

PRODUCT USE: Sodium BiSulfite PREPARED DATE: April 2002

2. HAZARDS CLASSIFICATION

OSHA REGULATORY STATUS: Corrosive

GHS CLASSIFICATION: 8

GHS SYMBOL:

GHS SIGNAL WORD: Danger!

GHS HAZARD STATEMENT: Data not available

**EMERGENCY RESPONSE CODE:** 154

**EMERGENCY OVERVIEW:** 

COLOR: Clear Yellow PHYSICAL FORM: Liquid

**ODOR:** Sulfur dioxide odor

SIGNAL WORD: Danger!

MAJOR HEALTH HAZARDS: Sulfur Dioxide given off by this product has been shown to cause breathing difficulties in

asthmatics. May cause severe allergic reaction in some asthmatics and sulfite sensitive

individuals.

PHYSICAL HAZARDS: Data not available ECOLOGICAL HAZARDS: Data not available PRECAUTIONARY STATEMENTS: Data not available

**POTENTIAL HEALTH EFFECTS:** 

**INHALATION:** Causes severe irritation and burns. May irritate nose, throat, mucous membranes. May cause

coughing, bronchospasms, difficulty breathing, pulmonary edema or death

**SKIN CONTACT:** Causes severe irritation and burns. Contact may cause redness, itching, dermatitis (inflammation

of the skin), blistering, pain or tissue destruction.

**EYE CONTACT:** Causes severe irritation and burns. May cause tissue destruction, permanent eye damage and

blindness

**INGESTION:** Causes severe irritation and burns. Ingestion can cause very serious damage to the mouth,

esophagus, stomach and other tissues with which contact is made, and may be fatal. May cause headache, abdominal pail, nausea, vomiting, diarrhea, perforation of the intestinal tract. Effects

may be delayed

TARGET ORGANS: Not available CHRONIC EFFECTS: Not available

**CARCINOGEN STATUS:** 

OSHA: Less than 0.1%
NTP: Less than 0.1%
IARC: Less than 0.1%

See Section 11: TOXICOLOGICAL INFORMATION

3. COMPOSITION/INFORMATION ON INGREDIENTS

**COMPONENT:** Sodium Bisulfite **CAS NUMBER:** 7631-90-5



# SAFETY DATA SHEET

## Formula 11

**PRODUCT USE:** Sodium BiSulfite **REVISION DATE:** May 2015

PERCENTAGE: 40%

The remaining components are non-hazardous, proprietary information.

**4. FIRST AID MEASURES** 

**INHALATION:** Remove to fresh air. Get medical attention if irritation persists or symptoms develop later. **SKIN CONTACT:** Flush with water for at least 15 minutes while removing clothing. Continue to rinse until

"slippery" feeling is gone. Get medical attention if irritation persists or burns develop.

EYE CONTACT: Immediately flush with copious amounts of water for 15 minutes. Hold eyelids open to ensure

complete rinse. Remove contact lenses if worn. Get immediate medical attention.

**INGESTION:** DO NOT INDUCE VOMITING. Give water or milk to dilute. Never give anything by mouth to an

unconscious person. Get immediate medical attention.

**NOTE TO PHYSICIAN:** Aggravates asthma

5. FIRE FIGHTING HAZARDS

FIRE AND EXPOLOSION HAZARDS: None known

**EXTINQUISHING MEDIA:** For fires in area use appropriate media. For example: Water spray.

Dry chemical. Carbon Dioxide. Foam.

FIRE FIGHTING: Evacuate area of unprotected personnel. Wear protective clothing

including NIOSH-approved self- containing breathing apparatus. Remain upwind of fire to avoid hazardous vapors and decomposition

products. Use water spray to cool fire-exposed containers

SENSITIVITY TO MECHANICAL IMPACT:

SENSITIVITY TO STATIC DISCHARGE:

FLASH POINT:

Not available

Not available

HAZARDOUS COMBUSTION PRODUCTS: Toxic vapors. Sulfur oxides. Sulfur Dioxide gas will be released at a

rate increasing with temperature.

**6. ACCIDENTAL RELEASE MEASURES** 

OCCUPATIONAL RELEASE: Evacuate unprotected personnel from area. Maintain adequate ventilation. Follow

personal protective equipment recommendations. Never exceed any occupational exposure limits. Contain spill, place into drums for proper disposal. Flush remaining area with water and neutralize is Soda Ash or Lime and dispose of properly. Sulfur dioxide

and carbon dioxide may be released during neutralization.

7. HANDLING AND STORAGE

STORAGE: Store in a cool, dry, well ventilated area, out of direct sunlight and away from heat. Keep away from

incompatible materials. Keep containers tightly closed. Do not store in unlabeled or mislabeled containers.

Do not freeze. Relieve pressure in drums weekly.

**HANDLING:** Wash thoroughly after handling.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS: Not available BIOLOGICAL LIMIT VALUES: Not available

**VENTILATION:**Use local exhaust to provide adequate ventilation if sulfur dioxide is released **EYE PROTECTION:**Wear chemical safety goggles and a full face shield while handling. Do not

wear contact lenses

**CLOTHING:** Wear protective clothing to minimize skin contact. Launder contaminated

clothing before reuse

GLOVES: Wear impervious gloves: Neoprene, rubber (latex), Polyvinyl chloride

PROTECTIVE MATERIAL TYPES: Not available

**RESPIRATOR:** Respiratory must be worn when handling this product. Wear NIOSH-Approved

respirator if exposure limits are exceeded. Must comply with OSHA 29 CFR

1910.134

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: PHYSICAL FORM: Liquid

COLOR: Clear yellow ODOR: Sulfur Dioxide



# SAFFTY DATA SHFFT

#### Formula 11

PRODUCT USE: Sodium BiSulfite **REVISION DATE:** May 2015 **BOILING POINT:** 219 °F **BULK DENSITY:** Not available **MELTING POINT:** WATER SOLUBILITY: Not available Complete 2.0 -4.0 FLASH POINT: Not available pH: **DECOMPOSITION POINT:** Not available VOLATILITY: Not determined **VAPOR PRESSURE:** 9 @ 20 ° C (SO2) ODOR THRESHOLD: Not available **VAPOR DENSITY:** Not determined **EVAPORATION RATE:** Not determined COEFFICIENT OF WATER/OIL DISTRIBUTION: SPECIFIC GRAVITY (water=1.000): 1.33 @ 25°C NA

# 10. STABILITY AND REACTIVITY

REACTIVITY: Stable

**CONDITIONS TO AVOID:** Avoid contact with heat, sparks, electric arcs, other hot surfaces, and open

flames

**INCOMPATIBILITIES:** Acids, Strong oxidizing agents

**HAZARDOUS DECOMPOSITION:**Sulfur dioxide gas. Sodium sulfide. Toxic vapors **POLYMERIZATION:**Will not occur under normal conditions

## 11. TOXICOLOGICAL INFORMATION

FORMULA 11:

IRRITATION DATA: Not available TOXICITY DATA: Not available

**CARCINOGEN STATUS:** This product does not contain greater than 0.1% of the known or potential carcinogens

listed in NTP, IARC, or OSHA.

#### 12. ECOLOGICAL INFORMATION

ECOTOXICITY DATA:

ALGAL TOXICITY:

Not available
FATE AND TRANSPORT:

BIODEGRATION:

PERSISTANCE:

BIOCONCENTRATION:

OTHER ECOLOGICAL INFORMATION:

Not available
Not available
Not available
Not available

## 13. DISPOSAL CONSIDERATIONS

Avoid direct discharge to sewers and surface waters. Notify authorities if entry occurs. Dispose of in a permitted hazardous waste management facility following all local, state and federal regulations. If approved, neutralize material and flush to sewer.

#### **14. TRANSPORT INFORMATION**

U.S. DOT 49 CFR 172.101:

PROPER SHIPPING NAME: BISULFITES, AQUEOUS SOLUTIONS, N.O.S. (CONTAINS SODIUM BISULFITE)

ID NUMBER: UN 2693 HAZARD CLASS OF DIVISION: 8

PACKING GROUP: III
LABELING REQUIREMENTS: Corrosive

#### **CANADIAN TRANSPORTATION OF DANGEROUS GOODS:**

SHIPPING NAME: BISULFITES, AQUEOUS SOLUTIONS, N.O.S. (CONTAINS SODIUM BISULFITE)

UN NUMBER: UN 2693 CLASS: 8

PACKING GROUP/RISK GROUP:

**EMERGENCY RESPONSE CODE:** 154

# **15. REGULATORY INFORMATION**

#### **U.S. REGULATIONS:**

CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):

## SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30):

**COMPONENT:** Sodium Bisulfite



# SAFFTY DATA SHFFT

#### Formula 11

PRODUCT USE: Sodium BiSulfite REVISION DATE: May 2015

 CAS NUMBER:
 7631-90-5

 PERCENTAGE:
 40%

 T.P.Q.:
 5,000 lbs

 R.Q.:
 5,000 lbs

#### SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370.21):

ACUTE: Yes
CHRONIC: No
FIRE: No
REACTIVE: No
SUDDEN RELEASE: No

SARA TITLE III SECTION 313 (40 CFR 372.65)
COMPONENT: Sodium Bisulfite
CAS NUMBER: 7631-90-5
PERCENTAGE: 40%

OSHA PROCESS SAFETY (29 CFR 1901.119):

**OTHER U.S. REGULATIONS:** 

STATE REGULATIONS:

**California Proposition 65:** 

**NEW JERSEY WORKER AND COMMUNITY RIGHT TO KNOW:** 

REPORTING REQUIREMENT:

(LIST CHEMICAL, CAS NUMBER, PERCENTAGE)

SPECIAL HEALTH HAZARD SUBSTANCE LIST: (LIST CHEMICAL, CAS NUMBER, PERCENTAGE)

PENNSLYVANIA RIGHT TO KNOW: REPORTING REQUIREMENT:

(LIST CHEMICAL, CAS NUMBER, PERCENTAGE)

**CANADIAN REGULATIONS:** 

WHMIS CLASSIFICATION:

**NATIONAL INVENTORY STATUS:** 

U.S. INVENTORY (TSCA):

TSCA 12(b) EXPORT NOTIFICATION:

CANADA INVENTORY (DSL/NDSL):

### **16. OTHER INFORMATION**

NFPA RATINGS/ HMIS RATINGS (SCALE 0-4): HEALTH= 3/3 FIRE= 0/0 REACTIVITY= 1/1

## Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

The above information is not claiming characteristics of the product in term of legal claims of performance / guarantee. This information only describes safety measures and no liability may arise from the use or application of the product described herein. This information is given in good faith and based on our current knowledge of the product.