



MATHESON

ask. . . The Gas Professionals™

Safety Data Sheet

Material Name: Oxygen, Carbon Dioxide, Sulfur Hexafluoride, Argon, Helium, Neon, Krypton, Xenon, Nitrogen, and Carbon tetrafluoride Gas Mixture

SDS ID: 00244702

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

Oxygen, Carbon Dioxide, Sulfur Hexafluoride, Argon, Helium, Neon, Krypton, Xenon, Nitrogen, and Carbon tetrafluoride Gas Mixture

Product Description

Classification determined in accordance with Compressed Gas Association standards

Product Use

Industrial and Specialty Gas Applications

Restrictions on Use

None known

Details of the supplier of the safety data sheet

MATHESON TRI-GAS, INC.

150 Allen Road, Suite 302

Basking Ridge, NJ 07920

General Information: 1-800-416-2505

Emergency #: 1-800-424-9300 (CHEMTREC)

Outside the US: 703-527-3887 (Call collect)

Section 2 - HAZARDS IDENTIFICATION


Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Gases Under Pressure - Compressed gas

Simple Asphyxiant

GHS Label Elements

Symbol(s)



Signal Word

Warning

Hazard Statement(s)

Contains gas under pressure; may explode if heated.

May displace oxygen and cause rapid suffocation.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

Protect from sunlight. Store in a well-ventilated place.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards

**MATHESON**

ask...The Gas Professionals™

Safety Data Sheet

Material Name: Oxygen, Carbon Dioxide, Sulfur Hexafluoride, Argon, Helium, Neon, Krypton, Xenon, Nitrogen, and Carbon tetrafluoride Gas Mixture**SDS ID: 00244702**

Rapid release of compressed gas may cause frostbite. Concentration(s) of oxidizing component(s) will not result in an oxidizing gas classification.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7727-37-9	Nitrogen	0-100
7440-37-1	Argon	0-100
7440-59-7	Helium	0-100
7440-01-9	Neon	0-100
7439-90-9	Krypton	0-100
7440-63-3	Xenon	0-100
124-38-9	Carbon dioxide	0-100
2551-62-4	Sulfur hexafluoride	0-100
75-73-0	Carbon tetrafluoride	0-100
7782-44-7	Oxygen	≤23.5

Section 4 - FIRST AID MEASURES

Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

Skin

If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115°F; 41-46°C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

Eyes

Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Then get immediate medical attention.

Ingestion

If swallowed, get medical attention.

Most Important Symptoms/Effects**Acute**

Frostbite, suffocation, depression of central nervous system

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

For inhalation, consider oxygen.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

**MATHESON**

ask. . . The Gas Professionals™

Safety Data Sheet

Material Name: Oxygen, Carbon Dioxide, Sulfur Hexafluoride, Argon, Helium, Neon, Krypton, Xenon, Nitrogen, and Carbon tetrafluoride Gas Mixture

SDS ID: 00244702

Suitable Extinguishing Media

regular dry chemical, carbon dioxide

Unsuitable Extinguishing Media

Do not direct water at source of leak or safety devices; icing may occur.

Special Hazards Arising from the Chemical

Negligible fire hazard. Containers may rupture or explode if exposed to heat.

Hazardous Combustion Products

Oxides of carbon, oxides of nitrogen, oxides of sulfur, fluorinated compounds

Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Do not direct water at source of leak or safety devices; icing may occur. Stay away from the ends of tanks.

Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire.

For tank, rail car or tank truck: Evacuation radius: 800 meters (1/2 mile). Use extinguishing agents appropriate for surrounding fire. Apply water from a protected location or from a safe distance. Reduce vapors with water spray.

Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Consider downwind evacuation if material is leaking.

Special Protective Equipment and Precautions for Firefighters

Wear personal protective clothing and equipment such as self-contained breathing apparatus (SCBA) for protection against possible exposure.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas. Do not touch or walk through spilled material. If possible, turn leaking containers so that gas escapes rather than liquid. Do not direct water at spill or source of leak. Allow substance to evaporate.

Ventilate closed spaces before entering.

Environmental Precautions

Avoid release to the environment.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Avoid breathing gas. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

Protect from sunlight. Store in a well-ventilated place.

Store and handle in accordance with all current regulations and standards. Subject to storage and handling regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.

Incompatible Materials

Metals, oxidizing materials, combustible materials

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Nitrogen	7727-37-9
ACGIH:	(See Appendix F: Minimal Oxygen Content)
Argon	7440-37-1

**MATHESON**

ask...The Gas Professionals™

Safety Data Sheet

Material Name: Oxygen, Carbon Dioxide, Sulfur Hexafluoride, Argon, Helium, Neon, Krypton, Xenon, Nitrogen, and Carbon tetrafluoride Gas Mixture**SDS ID: 00244702**

ACGIH:	(See Appendix F: Minimal Oxygen Content)
Helium	7440-59-7
ACGIH:	(See Appendix F: Minimal Oxygen Content)
Neon	7440-01-9
ACGIH:	(See Appendix F: Minimal Oxygen Content)
Carbon dioxide	124-38-9
ACGIH:	5000 ppm TWA
	30000 ppm STEL
NIOSH:	5000 ppm TWA ; 9000 mg/m3 TWA
	30000 ppm STEL ; 54000 mg/m3 STEL
	40000 ppm IDLH
Europe:	5000 ppm TWA ; 9000 mg/m3 TWA
OSHA (US):	5000 ppm TWA ; 9000 mg/m3 TWA
Mexico:	5000 ppm TWA VLE-PPT ; 9000 mg/m3 TWA VLE-PPT
	15000 ppm STEL [PPT-CT] ; 27000 mg/m3 STEL [PPT-CT]
Sulfur hexafluoride	2551-62-4
ACGIH:	1000 ppm TWA
NIOSH:	1000 ppm TWA ; 6000 mg/m3 TWA
OSHA (US):	1000 ppm TWA ; 6000 mg/m3 TWA
Mexico:	1000 ppm TWA VLE-PPT ; 6000 mg/m3 TWA VLE-PPT
	1250 ppm STEL [PPT-CT] ; 7500 mg/m3 STEL [PPT-CT]

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

**MATHESON**

ask...The Gas Professionals™

Safety Data Sheet

Material Name: Oxygen, Carbon Dioxide, Sulfur Hexafluoride, Argon, Helium, Neon, Krypton, Xenon, Nitrogen, and Carbon tetrafluoride Gas Mixture**SDS ID: 00244702****Individual Protection Measures, such as Personal Protective Equipment****Eye/face protection**

For the gas: Eye protection not required, but recommended. For the liquid: Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

For the gas: Protective clothing is not required, but recommended. For the liquid: Wear appropriate protective, cold insulating clothing.

Respiratory Protection

Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning properties before use. Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode. Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

Glove Recommendations

For the gas: Protective gloves are not required, but recommended. For the liquid: Wear insulated gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	colorless gas	Physical State	gas
Odor	Not available	Color	colorless
Odor Threshold	Not available	pH	Not available
Melting Point	Not available	Boiling Point	Not available
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not flammable
Autoignition Temperature	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	Not available	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
Physical Form	Compressed gas	Molecular Weight	Not available

Section 10 - STABILITY AND REACTIVITY**Reactivity**



MATHESON

ask. . . The Gas Professionals™

Safety Data Sheet

Material Name: Oxygen, Carbon Dioxide, Sulfur Hexafluoride, Argon, Helium, Neon, Krypton, Xenon, Nitrogen, and Carbon tetrafluoride Gas Mixture

SDS ID: 00244702

No reactivity hazard is expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Protect from physical damage and heat. Containers may rupture or explode if exposed to heat.

Incompatible Materials

Metals, oxidizing materials, combustible materials

Hazardous decomposition products

Oxides of carbon, oxides of nitrogen, oxides of sulfur, fluorinated compounds

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

Nausea, vomiting, difficulty breathing, headache, drowsiness, dizziness, tingling sensation, loss of coordination, convulsions, coma, suffocation

Skin Contact

Frostbite, irritation

Eye Contact

Frostbite, irritation

Ingestion

Ingestion of gas is unlikely.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

Product Toxicity Data

Acute Toxicity Estimate

No data available.

Immediate Effects

Frostbite, suffocation, depression of central nervous system

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available

Reproductive Toxicity

No data available.

**MATHESON**

ask. . .The Gas Professionals™

Safety Data Sheet

Material Name: Oxygen, Carbon Dioxide, Sulfur Hexafluoride, Argon, Helium, Neon, Krypton, Xenon, Nitrogen, and Carbon tetrafluoride Gas Mixture

SDS ID: 00244702

Specific Target Organ Toxicity - Single Exposure

Central nervous system

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.

Additional Data

No additional information is available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

No data available for the mixture.

Bioaccumulative Potential

No data available for the mixture.

Mobility

No data available for the mixture.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with all applicable regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

Component Marine Pollutants (IMDG)

Not a marine pollutant.

US DOT Information:

Shipping Name: COMPRESSED GAS, N.O.S. , (Contains: highest concentration component , second highest concentration component)

Hazard Class: 2.2

UN/NA #: UN1956

Required Label(s): 2.2

IMDG Information:

Shipping Name: COMPRESSED GAS, N.O.S. , (Contains: highest concentration component , second highest concentration component)

Hazard Class: 2.2

UN#: UN1956

Required Label(s): 2.2

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

**MATHESON**

ask...The Gas Professionals™

Safety Data Sheet

Material Name: Oxygen, Carbon Dioxide, Sulfur Hexafluoride, Argon, Helium, Neon, Krypton, Xenon, Nitrogen, and Carbon tetrafluoride Gas Mixture**SDS ID: 00244702**

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) 2017 reporting categories

Gas Under Pressure; Simple Asphyxiant

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Nitrogen	7727-37-9	No	Yes	Yes	Yes	Yes
Argon	7440-37-1	No	Yes	Yes	Yes	Yes
Helium	7440-59-7	No	Yes	Yes	Yes	Yes
Neon	7440-01-9	No	Yes	Yes	Yes	Yes
Carbon dioxide	124-38-9	Yes	Yes	Yes	Yes	Yes
Sulfur hexafluoride	2551-62-4	Yes	Yes	Yes	Yes	Yes
Carbon tetrafluoride	75-73-0	No	No	No	Yes	No
Oxygen	7782-44-7	No	Yes	No	Yes	Yes

Not listed under California Proposition 65

Canada Regulations**Canadian WHMIS Ingredient Disclosure List (IDL)**

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Carbon dioxide	124-38-9
	1 %
Sulfur hexafluoride	2551-62-4
	1 %

Component Analysis - Inventory**Nitrogen (7727-37-9)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	No	Yes	Yes	Yes	Yes

Argon (7440-37-1)

**MATHESON**

ask. . . The Gas Professionals™

Safety Data Sheet

Material Name: Oxygen, Carbon Dioxide, Sulfur Hexafluoride, Argon, Helium, Neon, Krypton, Xenon, Nitrogen, and Carbon tetrafluoride Gas Mixture**SDS ID: 00244702**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	No	Yes	Yes	Yes	Yes

Helium (7440-59-7)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	No	Yes	Yes	Yes	Yes

Neon (7440-01-9)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	No	Yes	Yes	Yes	Yes

Krypton (7439-90-9)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	No	Yes	No	Yes	Yes

Xenon (7440-63-3)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	No	Yes	Yes	Yes	Yes

Carbon dioxide (124-38-9)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

**MATHESON**

ask...The Gas Professionals™

Safety Data Sheet

Material Name: Oxygen, Carbon Dioxide, Sulfur Hexafluoride, Argon, Helium, Neon, Krypton, Xenon, Nitrogen, and Carbon tetrafluoride Gas Mixture**SDS ID: 00244702****Sulfur hexafluoride (2551-62-4)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

Carbon tetrafluoride (75-73-0)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

Oxygen (7782-44-7)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	No	Yes	Yes	Yes	Yes

Section 16 - OTHER INFORMATION**NFPA Ratings**

Health: 2 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

Updated: 08/25/2016

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR - Korea; LD50/LC50 - Lethal Dose/



MATHESON

ask. . .The Gas Professionals™

Safety Data Sheet

Material Name: Oxygen, Carbon Dioxide, Sulfur Hexafluoride, Argon, Helium, Neon, Krypton, Xenon, Nitrogen, and Carbon tetrafluoride Gas Mixture

SDS ID: 00244702

Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

Matheson Tri-Gas, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Matheson Tri-Gas, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.

