Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 04/21/2015

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name

: AERO 30V CINNAMON STICK

Product code

: 1821660

SKU#

: 2024589

1.2. Relevant Identi

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

: Aerosol

Air care products Odour agents

For professional use only

Details of the supplier of the safety data sheet

Interline Brands, Inc.

701 San Marco Blvd.

Jacksonville, FL 32207 - USA

T 1-866-412-6726 (Product Information)

Emergency telephone number
 Emergency number

: 1-866-923-4913 (Medical emergency);1-800-424-9300 (Spill emergency)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Aerosol 1 H222

Eye Irrit. 2A

H319

Skin Sens. 1

H317

STOT SE 3 H336

Full text of H statements : see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS07

S02

: Danger

Hazard statements (GHS-US)

Signal word (GHS-US)

: H222 - Extremely flammable aerosol

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

Precautionary statements (GHS-US) : P210 - Keep away from heat.

P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking P211 - Do not spray on an open flame or other ignition source

P251 - Pressurized container: Do not pierce or burn, even after use

P280 - Wear protective gloves

P302+P352 - If on skin: Wash with plenty of water

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P312 - Call a doctor if you feel unwell

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

2.3. Other hazards

No additional information available

08/22/2017 EN (English)

Page 1



PO Box 2317 Jacksonville FL 32203-9956 SDS Communication for your recent order



659 2 MB 0.423 E0122X 10977 D3111426031 S2 P4894035 0001:0010

ուկելըվելիելիցիինեսիլկիիիսնանիլներիինիլիելիրունեսիլիիլ



QUILEUTE TRIBAL SCHOOL 40 OCEAN DR PO BOX 39 LA PUSH WA 98350-0039

12/06/17

Enclosed, please find Safety Data Sheets for your recent orders: 1969199
You can find a complete library of more than 11,000 data sheets at our web site www.supplyworks.com
If you have any questions, please contact Customer Service at 866-412-6726

482915 00000

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/information on ingredients

Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Acetone	(CAS-No.) 67-64-1	>= 50	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	1 - 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
EUGENOL	(CAS-No.) 97-53-0	0.1 - 1	Eye Irrit. 2A, H319 Skin Sens. 1, H317
a-METHYLCINNAMALDEHYDE	(CAS-No.) 101-39-3	0.1 - 1	Skin Sens. 1, H317

Full text of H-statements: see section 16

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation

Cough. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call

a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact

: Remove/Take off immediately all contaminated clothing. Get medical advice if skin irritation persists. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. Wash contaminated

clothing before reuse.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

First-aid measures after ingestion

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: Shortness of breath. May cause an allergic skin reaction. May cause drowsiness or dizziness.

Symptoms/effects after skin contact

: Causes skin irritation.

Symptoms/effects after eye contact

: Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media

: Do not use a heavy water stream.

Special hazards arising from the substance or mixture

Fire hazard

: Extremely flammable aerosol.

Explosion hazard

May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed

containers, spreading fire and increasing risk of burns and injuries.

Reactivity

Stable under normal conditions of use.

Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures

No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.

08/22/2017

EN (English)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel

Emergency procedures

: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment

: Equip cleanup crew with proper protection.

Emergency procedures

: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.

Precautions for safe handling

: No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Use only outdoors or in a well-ventilated area.

Hygiene measures

: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Comply with applicable regulations. Proper grounding procedures to avoid static electricity

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Incompatible products

: Strong bases. Strong acids.

Incompatible materials

: Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

AERO 30V CINNAI	MON STICK		
ACGIH	Not applicable		
OSHA	Not applicable	Not applicable	
HEXYLENE GLYC	OL (107-41-5)		
ACGIH	ACGIH TWA (ppm)	25 ppm	
ACGIH	ACGIH STEL (mg/m³)	10 mg/m³	
ACGIH	ACGIH STEL (ppm)	50 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr	
OSHA	Not applicable	1	
DNEL	DNEL	14 mg/m³	

Acetone (67-64-1)			
ACGIH	ACGIH TWA (ppm)	250 ppm	
ACGIH	ACGIH STEL (ppm)	500 ppm	
ACGIH	Remark (ACGIH)	eye irr; CNS impair; BEI	
OSHA	OSHA PEL (TWA) (mg/m³)	2400 mg/m ³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	

08/22/2017

EN (English)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Not applicable

Acetone (67-64-1)			
DNEL	DNEL	2110 mg/m³	*
EUGENOL (97-53-	0)		
ACGIH	Not applicable		
OSHA	Not applicable		
DNEL	DNEL	36 mg/m³	
	MALDEHYDE (101-39-3)	100 mg/m	n Allipotenti (il
ACGIH	Not applicable		***************************************
	1		

8.2. Exposure controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation to minimize mist and/or vapour

concentrations.

Personal protective equipment

: Avoid all unnecessary exposure.

Hand protection

Eye protection

OSHA

: Wear protective gloves.

Respiratory protection

None under normal use.None under normal use.

Other information

: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

: Liquid

Appearance

: clear. Transparent.

Colour

: colourless to slightly yellow

Odour

: characteristic

Odour threshold

No data available

Relative evaporation rate (butylacetate=1)

No data availableNo data available

Melting point

: No data available

Freezing point

: No data available

Boiling point

: No data available

Flash point

No data available

Auto-ignition temperature

: No data available

Decomposition temperature

: No data available

Flammability (solid, gas)

: Extremely flammable aerosol

Vapour pressure

: 4.5 - 5.5 bar

Relative vapour density at 20 °C

: No data available

Relative density

: 0.7

Solubility Log Pow No data availableNo data available

Log Kow

: No data available

Viscosity, kinematic Viscosity, dynamic No data available

Viscosity, dynamic Explosive properties : No data available

Oxidising properties

: No data available: No data available

Explosive limits

: 1.8 - 19 vol %

9.2. Other information

No additional information available

08/22/2017

EN (English)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Acetone (67-64-1)		
ATE US (dust,mist)	50100 mg/l/4h	

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : Shortness of breath. May cause an allergic skin reaction. May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

HEXYLENE GLYCOL (107-41-5)		
LC50 fish 1	8690 mg/l	
EC50 other aquatic organisms 1	5410 mg/l waterflea	
EC50 other aquatic organisms 2	> 429 mg/l	
Acetone (67-64-1)		
LC50 fish 1	5540 mg/l	
EC50 other aquatic organisms 1	12600 mg/l waterflea	
EC50 other aquatic organisms 2	3400 mg/l	

08/22/2017 EN (English) 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EUGENOL (97-53-0)		
LC50 fish 1	5.6 mg/l	
EC50 other aquatic organisms 1	1.9 mg/l waterflea	
EC50 other aquatic organisms 2	15.4 mg/l	

12.2. Persistence and degradability

AERO 30V CINNAMON STICK	
Persistence and degradability	Not established.
Acetone (67-64-1)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

AERO 30V CINNAMON STICK		
Bioaccumulative potential	Not established.	
HEXYLENE GLYCOL (107-41-5)		
Log Pow	-0.1	
Acetone (67-64-1)		
Log Pow	-0.24	
Bioaccumulative potential	Not established.	
EUGENOL (97-53-0)		
Log Pow	2.27	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer : None to our knowledge

Effect on the global warming : No known effects from this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under

pressure. Do not drill or burn even after use.

Additional information : Handle empty containers with care because residual vapours are flammable. Flammable

vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT

Transport document description : UN1950 Aerosols, 2.1

UN-No.(DOT) : UN1950 Proper Shipping Name (DOT) : Aerosols

Class (DOT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Hazard labels (DOT) : 2.1 - Flammable gas



DOT Special Provisions (49 CFR 172.102)

DOT Packaging Exceptions (49 CFR 173.xxx) : 306
DOT Packaging Non Bulk (49 CFR 173.xxx) : None

DOT Packaging Non Bulk (49 CFR 173.xxx) : None
DOT Packaging Bulk (49 CFR 173.xxx) : None

08/22/2017 EN (English) 6/8

: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Passenger aircraft/rail : 75 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 150 kg

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

DOT Vessel Stowage Other : 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except

Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

Additional information

Other information : No supplementary information available.

ADR

Transport document description : UN 1950 AEROSOLS, 2.1, (D)

Class (ADR) : 2 - Gases
Classification code (ADR) : 5F

Danger labels (ADR) : 2.1 - Flammable gases



Tunnel restriction code (ADR) : D LQ : 11 Excepted quantities (ADR) : E0

Transport by sea

 UN-No. (IMDG)
 : 1950

 Proper Shipping Name (IMDG)
 : AEROSOLS

 Class (IMDG)
 : 2 - Gases

Air transport

UN-No. (IATA) : 1950

Proper Shipping Name (IATA) : Aerosols, flammable

Class (IATA) : 2

SECTION 15: Regulatory information

15.1. US Federal regulations

HEXYLENE GLYCOL (107-41-5)

Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

Acetone (67-64-1)

Subject to reporting requirements of United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

EUGENOL (97-53-0)

Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

a-METHYLCINNAMALDEHYDE (101-39-3)

Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

08/22/2017 EN (English) 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222;H229 Eye Irrit. 2 H319

STOT SE 3 H336

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

15.3. US State regulations

HEXYLENE GLYCOL (107-41-5)

U.S. -New York - RTK list Hazardous Substances

Acetone (67-64-1)

U.S. -New York - RTK list Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Other information

REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-statements:

H222	Extremely flammable aerosol	
H225	Highly flammable liquid and vapour	***************************************
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	***************************************
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	

SDS US GHS HazCom 2012 newell

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

08/22/2017

EN (English)